


DWG NO.	MOTION		SH	1	I
REVISIONS					
ZONE	REV	DESCRIPTION	DATE	APPROVED	
	-	INITIAL RELEASE			






<table border="1"> <tr> <td>33</td><td>32</td><td>31</td><td>30</td><td>29</td><td>28</td><td>27</td><td>26</td><td>25</td><td>24</td><td>23</td><td>22</td><td>21</td><td>20</td><td>19</td><td>18</td><td>17</td><td>16</td><td>15</td><td>14</td><td>13</td><td>12</td><td>11</td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td><td>SHEET</td> </tr> <tr> <td colspan="17"></td> <td>REV.</td> <td>SHEET</td> </tr> </table>										33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	SHEET																		REV.	SHEET	CONTRACT		OPERATIONAL NOTE					
33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	SHEET																																					
																	REV.	SHEET																																																				
INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M-1994 UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES; TOLERANCES: ANGLES $\pm 2^\circ$ 2 PL DEC $\pm .02$ 3 PL DEC $\pm .005$										DRAWN BY CJ NONA		DATE 2/15/03		RSE, LLC. SUNNY PHOENIX, ARIZONA TITLE SUSPENSION MOTION SIZE D CAGE CODE DRAWING NO. MOTION REV - SCALE 0.125 UNIT WT SHEET 1 OF 5																																																								
MATL - PROCESS - FINISH		MILITARY DESIGNATION		DESCRIPTION						DESIGNED BY CJ NONA		DATE 10/12/03																																																										
MATL										CHECKED BY		DATE																																																										
PROCESS										APVD FOR MFG		DATE																																																										
FINISH										APVD FOR OE		DATE																																																										
										APVD FOR ENGR		DATE																																																										
										APVD FOR ENGR		DATE																																																										
										APVD FOR		DATE																																																										




A

A

AXLE DIMENSIONS	
VARIABLE	DIM
AXLE TUBE DIAMETER	3.00
TIRE TRACK (CENTERLINE TO CENTERLINE)	67.00
TIRE TREAD WIDTH	15.00
MEASURED AXLE CENTERLINE HEIGHT	18.00
PINION DROP DEPTH	1.00
YOKE PIVOT DISTANCE FROM AXLE	12.00
LOWER LINK DISTANCE OUT	21.00
UPPER LINK DISTANCE OUT	2.00
LOWER LINK DISTANCE FORWARD/BACK	3.157
UPPER LINK DISTANCE FORWARD/BACK	1.795
LOWER LINK DISTANCE UP/DOWN	.189
UPPER LINK DISTANCE UP/DOWN	8.182
SHOCK MOUNT DISTANCE OUT	18.00
SHOCK MOUNT DISTANCE UP/DOWN	2.00
SHOCK MOUNT DISTANCE FORWARD/BACK	1.00



VEHICLE / LINK DIMENSIONS (FLAT / LEVEL GROUND, AT REST)	
VARIABLE	DIM
TRANSFER CASE YOKE FROM FRONT AXLE CENTERLINE	60.00
TRANSFER CASE YOKE GROUND HEIGHT	30.00
TRANSFER CASE YOKE OFF VEHICLE CENTERLINE	1.50
LOWER LINK DISTANCE ABOVE TC YOKE	3.00
UPPER LINK DISTANCE ABOVE TC YOKE	4.00
LOWER LINK DISTANCE BEHIND TC YOKE	1.000
UPPER LINK DISTANCE BEHIND TC YOKE	1.000
LOWER LINK DISTANCE OFF VEHICLE CENTERLINE	8.00
UPPER LINK DISTANCE OFF VEHICLE CENTERLINE	15.00
LOWER LINK LENGTH	41.50
UPPER LINK LENGTH	43.00
UPPER SHOCK MOUNT DISTANCE ABOVE TC YOKE	18.00
UPPER SHOCK MOUNT DISTANCE BEHIND TC YOKE	40.00
UPPER SHOCK MOUNT DISTANCE OFF VEHICLE CENTERLINE	10.00
SHOCK LENGTH AT REST (CALCULATED)	28.9
DRIVE SHAFT LENGTH AT REST (CALCULATED)	30.35



CENTER OF GRAVITY DIMENSIONS	
(FLAT / LEVEL GROUND, AT REST)	
VARIABLE	DIM
VERTICAL HEIGHT OF CG FROM GROUND	36.00
HORIZONTAL DISTANCE OF CG FROM FRONT AXLE	38.00
ANTI-SQUAT (CALCULATED)	62.7 %

